

No. 6017P
Long Cabled Cardigan
Sizes: XS/Sm, Med, Lge, XLge, 2/3XLge

Materials:

Patons SWS Worsted Weight Wool

XSm/Sm	Med	Lge	XLge-2/3XLge
14 balls	15 balls	16 balls	17 balls

Suggested Needles:

One pair knitting needles size 8 US,
(Canadian size 6, Metric size 5.00 mm)

One pair knitting needles size 9 US,
(Canadian size 5, Metric size 5.50 mm)

Measurements:


Finished Bust Measurement:

37½(40½, 45, 49, 56½)" [95(103, 114.5, 124.5, 143.5) cm]

Length from Back Neck:

31(32¾, 33, 33½, 33)" [78.5(83, 84, 85, 84) cm]

Sleeve Seam: 17½(18, 18½, 18½, 17½)" [44.5(46, 47, 47, 44.5) cm]



TO SAVE TIME, TAKE TIME TO CHECK GAUGE

Gauge or Tension: 17 sts and 21 rows to 4" [10 cm], measured over Stocking stitch using **suggested** larger needles or any size needles which will give the correct stitch gauge or tension.

Please carefully follow washing and drying instructions printed on the yarn label.

Abbreviations: K, knit; p, purl; st, stitch; sts, stitches; St st, Stocking stitch; " inches; cm, centimeter; mm, millimeter; beg, begin or beginning; inc, increase, increasing; dec, decrease, decreasing; rem, remain or remaining; rep, repeat; tog, together; sl, slip; pssso, pass slipped stitch over knit stitch; tbl, through back loop; PM, place marker; M, marker.

Special Abbreviations:

C4B - Cable 4 Back: Slip next 2 stitches onto cable needle and hold to back of work, k2 from left needle, then k2 from cable needle.

C4F - Cable 4 Front: Slip next 2 stitches onto cable needle and hold to front of work, k2 from left needle, then k2 from cable needle.

C5B - Cross 5 Back: Slip next 2 stitches onto cable needle and hold to back of work, k3 from left needle, then k2 from cable needle.

C5F - Cross 5 Front: Slip next 3 stitches onto cable needle and hold to front of work, k2 from left needle, then k3 from cable needle.

C6B - Cable 6 Back: Slip next 3 stitches onto cable needle and hold to back of work, k3 from left needle, then k3 from cable needle.

C6F - Cable 6 Front: Slip next 3 stitches onto cable needle and hold to front of work, k3 from left needle, then k3 from cable needle.

M1 - Make one stitch: Using left needle, pick up horizontal strand between stitch just worked and next stitch and knit into back of loop.

Note: Instructions are written for smallest size. If changes are necessary for larger sizes, the instructions will be written thus (). When only one number is given, it applies to all sizes.

Panel Pattern: (worked over 46 sts)

Row 1: (right side) C6F, [p1,k1] twice, p1, C5F, p4, C4B, k2, p4, C5B, [p1, k1] twice, p1, C6B.

Row 2: P7, [k1, p1] twice, k1, p4, k4, p6, k4, p4, [k1, p1] twice, k1, p7.

Row 3: K3, C5F, [p1, k1] twice, p1, C5F, p2, k2, C4F, p2, C5B, [p1, k1] twice, p1, C5B, k3.

Row 4: P3, k2, p4, [k1, p1] twice, k1, p4, k2, p6, k2, p4, [k1, p1] twice, k1, p4, k2, p3.

Row 5: K3, p2, C5F, [p1, k1] twice, p1, C5F, C4B, k2, C5B, [p1, k1] twice, p1, C5B, p2, k3.

Row 6: P3, k4, p4, [k1, p1] twice, k1, p 14, [k1, p1] twice, k1, p4, k4, p3.

Row 7: K3, p4, C5F, [p1, k1] twice, p1, C6B, C6F, [p1, k1] twice, p1, C5B, p4, k3.

Row 8: P3, k6, p4, k1, p1, k1, p 14, k1, p1, k1, p4, k6, p3.

Row 9: K3, p6, k3, [p1, k1] twice, p1, k 12, [p1, k1] twice, p1, k3, p6, k3.

Row 10: Work as Row 8.

Row 11: Work as Row 9.

Row 12: Work as Row 8.

Row 13: K3, p4, C5B, [p1, k1] twice, p1, C6B, C6F, [p1, k1] twice, p1, C5F, p4, k3.

Row 14: Work as Row 6.

Row 15: K3, p2, C5B, [p1, k1] twice, p1, C5B, k2, C4F, C5F, [p1, k1] twice, p1, C5F, p2, k3.

Row 16: Work as Row 4.

Row 17: K3, C5B, [p1, k1] twice, p1, C5B, p2, C4B, k2, p2, C5F, [p1, k1] twice, p1, C5F, k3.

Row 18: Work as Row 2.

Row 19: C6F, [p1, k1] twice, p1, C5B, p4, k2, C4F, p4, C5F, [p1, k1] twice, p1, C6B.

Row 20: P7, k1, p1, k1, p4, k6, p6, k6, p4, k1, p1, k1, p7.

Row 21: K6, [p1, k1] twice, p1, k3, p6, C4B, k2, p6, k3, [p1, k1] twice, p1, k6.

Row 22: Work as row 20.

Row 23: K6, [p1, k1] twice, p1, k3, p6, k2, C4F, p6, k3, [p1, k1] twice, p1, k6.

Row 24: Work as Row 20.

Repeat these 24 rows for Panel Pattern.

Back: Using larger needles, cast on 106(114, 122, 130, 146) sts and work in ribbing as follows:

Row 1: (right side) K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

Repeat these 2 rows once more, inc 10(10, 10, 10, 12) sts evenly across last rib row - 116(124, 132, 140, 158) sts. Now work in pattern as follows:

Row 1: (right side) K9(13, 17, 21, 30), work Row 1 of Panel Pattern over next 46 sts, p2, k2, p2, work Row 1 of Panel Pattern over next 46 sts, k9(13, 17, 21, 30).

Row 2: P 9(13, 17, 21, 30), work Row 2 of Panel Pattern, k2, p2, k2, work Row 2 of Panel Pattern, p to end.

Now continue to work pattern as set until piece measures 3" [7.5 cm] from cast on edge, ending after a wrong side row.

To Shape Sides:

Next Row: K2, k2tog, work in pattern to last 4 sts, sl 1, k1, pssso, k2.

Work 11 rows even in pattern.

Repeat these 12 rows 5 times more, keeping pattern correct - 104(112, 120, 128, 146) sts.

Work even in pattern until piece measures 17(18, 17½, 17½, 17½)" [43(45.5, 44.5, 44.5, 44.5) cm] from cast on edge, ending after a wrong side row.

Next Row: K2, M1, work in pattern to last 2 sts, M1, k2 - 106(114, 122, 130, 148) sts.

Work 9(9, 9, 9, 17) rows even in pattern.

Repeat these last 10(10, 10, 10, 18) rows 2(2, 2, 2, 1) times more - 110(118, 126, 134, 150) sts.

Now work even in pattern until piece measures 23(24, 24, 24, 23)" [58.5(61, 61, 61, 58.5) cm] from cast on edge, ending after a wrong side row.

To Shape Raglan Armholes: Keeping pattern correct, cast off 5(7, 8, 10, 14) sts at beg of next 2 rows - 100(104, 110, 114, 122) sts.

Next Row: (right side) K2, k2tog, work in pattern to last 4 sts, sl 1, k1, pssso, k2.

Next Row: P3, work in pattern to last 3 sts, P3.

Repeat these last 2 rows until 84(76, 88, 90, 100) sts rem. Now work as follows:

Row 1: (right side) K2, k2tog, work in pattern to last 4 sts, sl 1, k1, pssso, k2.

Row 2: P2, p2tog tbl, work in pattern to last 4 sts, p2tog, p2.

Row 3: Work as Row 1.

Row 4: P3, work in pattern to last 3 sts, p3.

Repeat these last 4 rows until 48(52, 52, 54, 58) sts rem. Place rem sts on st holder for back neck.

Left Front: **Using larger needles, cast on 54(58, 62, 66, 74) sts and work ribbing as given for Back, but inc 5(5, 5, 5, 6) sts evenly across last rib row - 59(63, 67, 71, 80) sts.**

Now work in pattern as follows:

Row 1: (right side) K9(13, 17, 21, 30), PM, work Row 1 of Panel Pattern over next 46 sts, p2, k2.

Row 2: P2, k2; work Row 2 of Panel pattern to marker, sl M, p to end.

Panel pattern is now in place.

Continue in pattern as set until piece measures 3" [7.5 cm] from cast on edge, ending after a wrong side row.

To Shape Side:

Next Row: K2, k2tog, work in pattern to end.

Work 11 rows even in pattern.

Repeat these 12 rows 5 times more - 53(57, 61, 65, 74) sts.

Now work even in pattern until piece measures 17(18, 17½, 17½, 17½)" [43(45.5, 44.5, 44.5, 44.5) cm] from cast on edge, ending after a wrong side row.

Next Row: K2, M1, work in pattern to end - 54(58, 62, 66, 75) sts.

Work 9(9, 9, 9, 17) rows even in pattern.

Repeat these last 10(10, 10, 10, 18) rows 2(2, 2, 2, 1) times more - 56(60, 64, 68, 76) sts.

Now work even in pattern until piece measures 23(24, 24, 24, 23)" [58.5(61, 61, 61, 58.5) cm] from cast on edge, ending after a wrong side row.

To Shape Raglan Armhole:

Row 1: (right side) Cast off 5(7, 8, 10, 14) sts, work in pattern to end - 51(53, 56, 58, 62) sts.

Row 2: Work in pattern to last 2 sts, p2.

Row 3: K2, k2tog, work in pattern to end.

Repeat these last 2 rows until 43(40, 45, 46, 51) sts rem, ending after a wrong side row.

Sizes XSm/Sm, Lge, XLge and 2/3XLge only:

Row 1: (right side) K2, k2tog, work in pattern to end.

Row 2: Work in pattern to last 4 sts, p2tog, p2.

Row 3: Work as Row 1.

Row 4: Work in pattern to last 3 sts, p3.

Repeat Rows 1 and 2 once more - 38(40, 41, 46) sts.

All Sizes:

To Shape Neck:

Row 1: (right side) K2, k2tog, work in pattern over next 18(18, 18, 18, 21) sts, turn and leave rem sts on st holder for front neck.

Row 2: Work in pattern to last 3 sts, p3.

Row 3: K2, k2tog, pattern to last 2 sts, k2tog.

Row 4: P2tog, pattern to last 4 sts, p2tog, p2.

Row 5: Work as Row 3.

Row 6: Work in pattern to last 3 sts, p3.

Row 7: Work as Row 3.

Row 8: Work in pattern to last 4 sts, p2tog, p2.

Row 9: Work as Row 3.

Rows 10-13: Work Rows 6-9 - 5(5, 5, 5, 8) sts.

Row 14: Work in pattern to last 3 sts, p3.

Size 2/3XLge only:

Next Row: (right side) K2, k2tog, work in pattern to end.

Next Row: Work in pattern to last 4 sts, p2tog, p2.

Next Row: K2, k2tog, work in pattern to end.

Next Row: Work in pattern to last 3 sts, p3 - 5 sts.

All Sizes:

Next Row: (right side) K2, k2tog, k1.

Next Row: P2tog, p2.

Next Row: K1, k2tog.

Next Row: P2.

Next Row: K2tog.

Fasten off.

Right Front: Work as for Left Front from ** to **.

Now work in pattern as follows:

Row 1: (right side) K2, p2, work Row 1 of Panel Pattern over next 46 sts, k9(13, 17, 21, 30).

Row 2: P9(13, 17, 21, 30), work Row 2 of Panel pattern to last 4 sts, k2, p2.

Now continue to work in pattern as set until piece measures 3" [7.5 cm] from cast on edge, ending after a wrong side row.

To Shape Side:

Next Row: Pattern to last 4 sts, sl 1, k1, pssso, k2.

Work 11 rows even in pattern.

Repeat these 12 rows 5 times more - 53(57, 61, 65, 74) sts.

Work even in pattern until piece measures 17(18, 17½, 17½, 17½)" [43(45.5, 44.5, 44.5, 44.5) cm] from cast on edge, ending after a wrong side row.

Next Row: Work in pattern to last 2 sts, M1, k2 - 54(58, 62, 66, 75) sts.

Work 9(9, 9, 9, 17) rows even in pattern.

Repeat these last 10(10, 10, 10, 18) rows 2(2, 2, 2, 1) times more - 56(60, 64, 68, 76) sts.

Now work even in pattern until piece measures 23(24, 24, 24, 23)" [58.5(61, 61, 61, 58.5) cm] from cast on edge, ending after a right side row.

To Shape Raglan Armhole:

Row 1: (wrong side) Cast off 5(7, 8, 10, 14) sts, work in pattern to end - 51(53, 56, 58, 62) sts.

Row 2: Pattern to last 4 sts, sl 1, k1, pssso, k2.

Row 3: P3, work in pattern to end.

Repeat these last 2 rows until 43(41, 45, 46, 51) sts rem.

Size Med only:

Next Row: Work as Row 2 - 40 sts.

Sizes XSm/Sm, Lge, XLge and 2/3XLge only:

Row 1: (right side) Pattern to last 4 sts, sl 1, k1, pssso, k2.

Row 2: P2, p2tog tbl, work in pattern to end.

Row 3: Work as Row 1.

Row 4: P3, work in pattern to end.

Repeat Rows 1- 3 once more - 37(39, 40, 45) sts.

All Sizes: To Shape Neck:

Row 1: (wrong side) Pattern over 21(21, 21, 21, 24) sts, turn and leave rem sts on st holder for front neck.

Row 2: Sl 1, k1, pssso, pattern to last 4 sts, sl 1, k1, pssso, k2.

Row 3: P2, p2tog tbl, pattern to last 2 sts, p2tog tbl.

Row 4: Work as Row 2.

Row 5: P3, work in pattern to end.

Row 6: Work as Row 2.

Row 7: P2, p2tog tbl, pattern to end.

Row 8: Work as Row 2.

Rows 9-12: Work Rows 5-8 once - 5(5, 5, 5, 8) sts.

Row 13: P3, work in pattern to end.

Size 2/3XLge only:

Next Row: (right side) Pattern to last 4 sts, sl 1, k1, pssso, k2.

Next Row: P2, p2tog tbl, pattern to end.

Next Row: Pattern to last 4 sts, sl 1, k1, pssso, k2.

Next Row: P3, work in pattern to end.

All Sizes:

Next Row: (right side) K1, sl 1, k1, pssso, k2.

Next Row: P2, p2tog tbl.

Next Row: Sl 1, k1, pssso, k1.

Next Row: P2.

Next Row: Sl 1, k1, pssso. Fasten off.

Sleeves: Using smaller needles, cast on 42(42, 42, 46, 46) sts and work in ribbing as given for Back until ribbing measures 6(6, 6, 4, 4)" [15(15, 15, 10, 10) cm], ending after a right side row.

Next Row: (wrong side) Rib 6(6, 4, 8, 6), [M1, rib 2 sts] 15(15, 17, 15, 17) times, M1, rib to end - 58(58, 60, 62, 64) sts.

Change to larger needles and work as follows:

Row 1: (right side) K6(6, 7, 8, 9), work Row 1 of Panel pattern over next 46 sts, k6(6, 7, 8, 9).

Row 2: P6(6, 7, 8, 9), work Row 2 of Panel pattern, p to end.

Continue to work in pattern as set inc one st at each end of the next row, then every following 10th(6th, 6th, 6th, 2nd) row until there are 68(68, 74, 82, 74) sts; then inc on every 12th(8th, 8th, 8th, 4th) row until there are 70(76, 80, 84, 96) sts on the needle, taking inc sts into St st - right side rows k, wrong side rows p.

Now work even in pattern until sleeve measures 17½(18, 18½, 18½, 17½)" [44.5(46, 47, 47, 44.5) cm] from cast on edge, ending after a wrong side row.

To Shape Raglan: Keeping pattern correct, cast off 5(7, 8, 10, 14) sts at beg of next 2 rows - 60(62, 64, 64, 68) sts.

Next Row: (right side) K2, k2tog, work in pattern to last 4 sts, sl 1, k1, pssso, k2.

Next Row: P2, pattern to last 2 sts, p2.

Repeat these 2 rows until 32(28, 26, 22, 22) sts rem.

Next Row: (right side) K2, k2tog, pattern to last 4 sts, sl 1, k1, pssso, k2.

Next Row: P2, p2tog tbl, work in pattern to last 4 sts, p2tog, p2.

Repeat these last 2 rows until 12(12, 14, 14, 18) sts rem. Leave rem sts on st holder for collar.

Buttonband: Using smaller needles, cast on 15 sts.

Row 1: (right side) K2, [p1, k1] 6 times, k1.

Row 2: *K1, p1; rep from * to last st, k1.

Repeat these 2 rows until band when slightly stretched, measures length to fit up left front edge, sewing in place as you work, ending after a wrong side row.

Place sts on left front st holder.

Place markers for buttons, having top button 2 rows below neck shaping and rem 5 buttons spaced down 4" [10 cm] apart.

Buttonhole Band: Work as for Buttonband, but making a buttonhole to match each marker as follows:

Row 1: (right side) K2, [p1, k1] twice, cast off next 2 sts, rib to last st, k1.

Row 2: [K1, p1] 3 times, k1, cast on 2 sts over cast off sts of previous row, [p1, k1] 3 times.

Place sts on right front st holder.

Sew all raglan seams.

Collar: Using smaller needles and with right side facing, beg at right front edge, work as follows:

K2, [p1, k1] 6 times, p1, from buttonhole band,

k rem sts from right front st holder, pick up and k 14(14, 14, 14, 18) sts up right side of front neck,

work in pattern over sts of right sleeve st holder, dec 3 sts evenly across,

work in pattern over sts of back st holder, dec 6 sts evenly across,

work in pattern over sts of left sleeve st holder, dec 3 sts evenly across,

pick up and k 14(14, 14, 14, 18) sts down left side of front neck,

k first 16(18, 18, 19, 21) sts from left front st holder, [p1, k1] 6 times, p1, k2 from buttonband - 150(158, 162, 166, 190) sts.

Row 1: (right side of Collar) [K1, p1] 7 times, *k2, p2; rep from * to last 16 sts, k2, [p1, k1] 7 times.

Row 2: K2, [p1, k1] 6 times, *p2, k2; rep from * to last 16 sts, p2, [k1, p1] 6 times, k2.

Repeat these 2 rows until Collar measures 6" [15 cm], ending after a wrong side row. Cast off in ribbing.

To Complete: Sew side and sleeve seams.

3 Sew on buttons opposite each buttonhole.

EVERY EFFORT HAS BEEN MADE TO HAVE THE DIRECTIONS CONTAINED IN THIS PATTERN ACCURATE AND COMPLETE; HOWEVER, WE CANNOT BE RESPONSIBLE FOR MISINTERPRETATION, VARIANCE OR ERRORS IN WORKMANSHIP OF THE INDIVIDUAL.

"Reproduction of this pattern in any form (including photostat) is protected by copyright. Any infringement will lead to prosecution."

Reprinted with permission of Spinrite Yarns

2001 HOLLAND AVE., PORT HURON, MI 48060

75 SCOTT AVE., PARIS ONTARIO, CANADA N3L 3G5

Yarn Imported